PENTAIR
POOL



INTELLIBRITE®



*Compared to Pentair IntelliBrite 5G Color LED Pool Light in white color mode only. The IntelliBrite Architectural Series delivers higher lumen output depending on color mode, ranging from 28%-141% brighter, while energy efýciency improvements range from 17-58% based on color mode.

See page 472ï47e x d

65

⚠ WARNING: .
⚠ AVERTISSEMENT:
.
⚠ ADVERTENCIA: .
. 65 . . . / 2001 4.

MICROBRITE®

Product	Description	Color	Lights	Cord Length	Voltage
MICROBRITE COMBO KITS WITH 300 WATT TRANSFORMER					
602130	MicroBrite 2 Light Combo Kit	Color LED	Two	100i	12V
602131	MicroBrite 2 Light Combo Kit	White LED	Two	100i	12V
602132	MicroBrite 2 Light Combo Kit	Warm White LED	Two	100i	12V
602133	MicroBrite 4 Light Combo Kit	Color LED	Four	100i	12V
602134	MicroBrite 4 Light Combo Kit	White LED	Four	100i	12V
602135	MicroBrite 4 Light Combo Kit	Warm White LED	Four	100i	12V

Note: A 300W transformer is included in each combo kit. Transformer is 120V input, 12V-14V output.

620460	MicroBrite Light Adaptor, Replacement
620459	Installation Tool, Replacement. (Hex/Wrench Style)
602158Z	Installation Tool, Replacement (Hand/Grip Style)
620463	Conduit Seal O-Ring, Replacement
618040	Adapter for MicroBrite to GloBrite Niche
640085Z	Adapter for MicroBrite to HiLite Niche

619962	120V Input, 12-14V Output	100W
619963	120V Input, 12-14V Output	300W



GLOBRITE® WHITE AND COLOR LED LIGHTS

GloBrite LED lighting is a brilliant way to showcase your backyard oasis and

Ordering Information

GLOBRITE® WHITE AND COLOR LED LIGHTS (CONT'D)

Ordering Information

See page 478 for replacement parts.

Amerlite light, a standard of reliability for underwater lights, features a stainless steel shell, 8-3/8 in. prismatic tempered glass lens, and stainless steel face ring with uni-tension clamp. Amerlite lights are UL listed to install in full-sized Pentair Pool Products, American, PacFab and Purex niches.

All Pentair UL Listed underwater lights are certiýed for use in fresh water with up to 6,000 ppm salinity.



Note: All 120 volt pool and spa lights must be connected to a branch circuit

Ordering Information

Product		Carton Qty.
LARGE STAINLESS STEEL NIC S FOR NCR E INSTA ATIC		
78210400	3/4 in. top hub	1

Standard 10 Hole Pattern

Gunite Hole Pattern




Manufactured
Gunite
6.50
4.94
ew
Back Vi
5.55
Rear Hub
Top Hub

LIGHT ACCESSORIES AND JUNCTION BOXES

Our optional light and niche features are designed to enhance our standard products and accommodate your specific project requirements.

Add-on Light Features and Accessories

Product	Carton Qty.	Carton
600140		
[redacted]		
[redacted]		
[redacted]		
[redacted]		