
NOTE! To the installer: Please make sure you provide this manual to the owner of the equip

THIS PAGE INTENTIONALLY LEFT BLANK



service and hoiler feed annlications for over 45 verse. I he 326A Series include: insulation is installed to protect again residence and cooling residence and cooling residence and cooling

## MODEL 326A

All electrical connection arming: Spraving Water Hazard	ons nee to he completed by ne	audified electrician Innuro granalization	
protection is mistaned.		When servicing pump replace all gaskets and seals Do not regise old gaskets or seals. Failure to follow	5.
Insure the system is filled with water and to pump start up. The pump rotation is clo viewed from the back of the pump dry or the mechanical sea	vented prior personal l ockwise when injury, death o motor. Do not run the induction il will be destroyed.	or property damage.	
MAINTENANCE AND		solate the pump from the system by closing the alves that should be located on the suction and alsonarge side or the pump. Loosen one o	
ne motor are permanently lubricated and	requires no regular service. The		bearings in tl
			<u>a nega ante a constructo da seconda da secon 1988 - Esta da seconda s 1989 - Esta da seconda s</u>
<u></u>		and the stand to the address of the stand to	
an the first of th	A state of the	and the second secon Second second	
n an			
			an an an an an tao an an tao an tao Manjara na an an tao an
n an	(1) A set of the se	n de la constante de la consta La constante de la constante de La constante de la constante de	ato a ano santo Anto a constanto a
		a service a service a service of the	n an
			n de la composition de
n an tha 1997 - The Anna an Anna an Albert Albert (1997) Anna an Anna Anna Anna an Anna an Albert (1997)		(14) S. C. S.	halo (1997), <del>1</del> 200 - <mark>E</mark> ric Carlori (α. 1997), 1997 - Eric Carlori (α. 1997), 1997 - Paristoni (α.
			and the ac- standard
		<ul> <li>Maximum and the state of the st</li></ul>	
ceer FERDIESBUE De Fai Biblen TARSE sine tenei vaives m system. rahure to			1 1 20 <sup>1</sup> 51. 120 bot.ex
ese instructions could result in serious		a d'gratta i'j analissa agi d'itta	follow the personal ir

THIS PAGE INTENTIONALLY LEFT BLANK

Seller warrants equipment (and its component parts) of its own manufacture against defects in materials and workmanship under normal use and service for one (1) year from the date of installation or start-up, or for eighteen (18) months after the date of shipment, whichever occurs first. Seller does not warrant accessories or components that are not manufactured by Seller; however, to the extent possible, Seller agrees to assign to Buyer its rights under the original manufacturer's warranty, without recourse to Seller. Buyer must give Seller notice in writing of any alleged defect covered by this warranty (together with all identifying details, including the serial number, the type of equipment, and the date of purchase) within thirty (30) days of the discovery of such defect during the warranty period. No claim made more than 30 days after the expiration of the warranty period shall be valid. Guarantees of performance and warranties are based on the use of original equipment manufactured (OEM) replacement parts. Seller assumes no responsibility or liability if alterations, non-authorized design modifications and/or non-OEM replacement parts are incorporated If HEvationB30tcb674d641 0 Td(O)Tj0.721 0s1 0 Td(8d(ased)Tj0.06ation0j0.06(a)Tj0.450 T0.405